

# Material Safety Data Sheet

Page 1 of 3

Infosafe No. 2BKM6 Issue Date: August 2003 ISSUED by BOSTIK

Product Name: **SIMSON ISR 7003**

Not classified as hazardous according to criteria of NOHSC

## COMPANY DETAILS

**Company Name** BOSTIK FINDLEY AUSTRALIA PTY LTD (ABN 003 893 838)  
**Address** 51 - 71 High Street Thomastown  
VIC 3074  
**Tel/Fax** Tel: 03 9279 9333 Fax: 03 9279 9270

## IDENTIFICATION

**Product Name** SIMSON ISR 7003

<b>Other Names</b>	<b>Name</b>	<b>Mancode</b>
	Simson ISR 7003 Grey, 290 Ctg	283614
	Simson ISR 7003 Grey, 600 sg	283622
	Simson ISR 7003 White, 290 Ctg	273503
	Simson ISR 7003 White, 600 sg	273511
	Simson ISR 7003 SFW, 290 Ctg	286443
	Simson ISR 7003 SFW, 600 sg	286451
	Simson ISR 7003 Black, 290 Ctg	273538
	Simson ISR 7003 Black, 600 sg	266345

**UN Number** None Allocated  
**DG Class** None Allocated  
**Packing Group** None Allocated  
**Hazchem Code** None Allocated  
**Poisons Schedule** Not Scheduled  
**Product Use** A sealant designed for automotive applications.

## Physical Data

**Appearance** Colored paste with faint odour.  
**Boiling Point** NA  
**Specific Gravity** 1.4  
**Flash Point** >100°C  
**Solubility in Water** Insoluble

## Other Properties

**Autoignition Temp.** >300°C

## Ingredients

<b>Ingredients</b>	<b>Name</b>	<b>CAS</b>	<b>Proportion</b>
	Alkoxysilane		1-5 %

## HEALTH HAZARD INFORMATION

### Health Effects

**Acute - Swallowed** May be harmful if swallowed.  
**Acute - Eye** May be an eye irritant.  
**Acute - Skin** Contact with skin may result in irritation.  
**Acute - Inhaled** During curing a small amount of methanol is released. Inhalation of methanol vapours can cause headache, nausea and respiratory irritation.  
**Chronic** Repeated or prolonged skin contact may cause irritation.

### First Aid

**Swallowed** If swallowed, seek immediate medical advice.  
**Eye** Hold eyelids open and immediately flush with plenty of water for at least 15 minutes. Seek medical attention.

Continued on next page

# Material Safety Data Sheet

Page 2 of 3

Infosafe No. 2BKM6 Issue Date: August 2003 ISSUED by BOSTIK

Product Name: **SIMSON ISR 7003**

Not classified as hazardous according to criteria of NOHSC

**Skin** Remove contaminated clothing and footwear. Wash affected skin thoroughly with soap and water. If irritation persists, seek medical attention. Wash clothing before re-use.

**Inhaled** Remove patient to fresh air. Apply artificial respiration if necessary. Seek medical advice.

**First Aid Facilities** eye wash

## Advice to Doctor

**Advice to Doctor** Treat symptomatically.

## Other Health Hazard Information

## PRECAUTIONS FOR USE

**Exposure Limits** No exposure standard is available for the material as such. Exposure standards available for the components are as follows:  
alkoxysilane TWA: 5ppm,  
methanol (trace given off during curing) TWA: 200ppm (262mg/m<sup>3</sup>), 250ppm (328mg/m<sup>3</sup>)-Skin  
TWA is the time weighted average concentration of the work atmosphere over anormal 8-hour work day and a 40-hour work week. Nearly all workers may be repeatedly exposed to this level, day after day, without adverse effect. These TWAs are issued as guidelines for good practice. All atmospheric contamination should be kept to as low a level as is practically possible. These TWAs should not be used as fine lines between safe and dangerous concentrations.

**Eng. Controls** Ventilation should be sufficient to ensure exposure to vapours is as low as practicable or at least below the recommended exposure standards.

## Personal Protection

**Protective Equip.** Avoid contact with skin and eyes and avoid breathing vapours. The following personal protective equipment is recommended:  
Respiratory protection such as air supplied breathing apparatus or suitable organic vapour cartridge mask (complying with Australian Standards AS1715 & AS1716) required in poorly ventilated areas.  
Chemical resistant gloves for repeated or prolonged skin contact.  
Safety glasses if risk of material entering the eyes.

## Flammability

## SAFE HANDLING INFORMATION

## Storage and Transport

**Storage and Transport** Store under cool, dry conditions in original container.

## Spills and Disposal

**Spills & Disposal** Clean-up personnel to wear appropriate protective equipment. Collect spill into clearly labelled, sealable containers for disposal as per statutory regulations. Clean area with water and detergent.

## Fire/Explosion Hazard

**Fire/Explos. Hazard** Hazardous decomposition products on burning: oxides of carbon, smoke and fumes.  
Fire-fighting personnel to wear self-contained breathing apparatus and protective clothing.  
Extinguishing media: foam, dry chemical, carbon dioxide.  
Prevent fire fighting run off from entering the drains and water-ways.

**Hazchem Code** None Allocated

Continued on next page

# Material Safety Data Sheet

Page 3 of 3

Infosafe No. 2BKM6	Issue Date: August 2003	ISSUED by BOSTIK
--------------------	-------------------------	------------------

Product Name: **SIMSON ISR 7003**

Not classified as hazardous according to criteria of NOHSC

---

## OTHER INFORMATION

---

<b>Environ. Protection</b>	This material may be hazardous to the environment, do not discharge to drains or water-ways.
<b>Technical Data</b>	Refer Product Information Bulletin
<b>Other Information</b>	N/A - None Assigned NOHSC - National Occupational Health & Safety Commission (Worksafe Aust.)

---

## CONTACT POINT

---

<b>Contact</b>	& 24 hour Emergency Telephone Regulatory Affairs Officer ph (03) 9279 9320 or mobile 0419 335 187 ...End Of MSDS...
----------------	---